BRAIN RESEARCH

VOL. 737 NOS. 1,2 **CONTENTS** **21 OCTOBER 1996**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for submission of manuscripts vii

Research reports

Identification and localization of a [Met^5]-enkephalin-like peptide in the mollusc, *Lymnaea stagnalis*
N.M. Ewadinger, R.L. Ridgway, N.I. Syed, K. Lukowiak and A.G.M. Bulloch (Canada, USA) 1

Inhibitory effects of electrical stimulation of thalamic nucleus submedius on the nociceptive responses of spinal dorsal horn neurons in the rat
Y.-Q. Zhang, J.-S. Tang and B. Yuan (People's Republic of China) 16

Cortical sources of human short-latency somatosensory evoked fields to median and ulnar nerve stimuli
S. Vanni, B. Rockstroh and R. Hari (Finland) 25

Ethanol exposure reduces the density of the low-affinity nerve growth factor receptor (p75) on pheochromocytoma (PC12) cells
J. Luo, J.R. West and N.J. Pantazis (USA) 34

DL-Fenfluramine increases the 5-HT synthesis rate in the terminals while decreasing it in the cell bodies of the rat brain
D. Mück-Šeler and M. Diksic (Canada) 45

Modulation of vomiting by the medullary midline
A.D. Miller, S. Nonaka, J. Jakuš and B.J. Yates (USA, Japan, Slovak Republic) 51

The role of excitatory neurotransmitters in seizure-induced neuronal injury in rats
K. Tanaka, S.H. Graham and R.P. Simon (USA) 59

Microsphere embolism-induced changes in presynaptic function of the cerebral cortex in rats
H. Hayashi, N. Takagi, N. Kamimoto and S. Takeo (Japan) 64

Noradrenergic facilitation of the adrenocorticotropin response to stress is absent during lactation in the rat
D.J. Toufexis and C.-D. Walker (Canada) 71

Effects of natriuretic peptides and dopamine on single-unit activity of dorsomedial arcuate neurons in rat brain slices
J.-T. Pan, C.-J. Lai and S.-H. Yen (Taiwan ROC) 78

Participation of central descending nociceptive facilitatory systems in secondary hyperalgesia produced by mustard oil
M.O. Urban, M.C. Jiang and G.F. Gebhart (USA) 83

Amplification of spinal nociceptive transmission depends on the generation of nitric oxide in normal and carrageenan rats
L.C. Stanfa, C. Misra and A.H. Dickenson (UK) 92

Circadian regulation of hydroxyindole-*O*-methyltransferase mRNA levels in rat pineal and retina
F. Gauer and C.M. Craft (USA) 99

The influence of the visual cortex on the spatiotemporal response properties of lateral geniculate nucleus cells
R.T. Marrocco, J.W. McClurkin and M.T. Alkire (USA) 110

Immunocytochemistry of tau phosphoserine 413 and tau protein kinase I in Alzheimer pathology
R.A. Shiurba, K. Ishiguro, M. Takahashi, K. Sato, E.T. Spooner, M. Mercken, R. Yoshida, T.R. Wheelock, H. Yanagawa, K. Imahori and R.A. Nixon (USA, Japan) 119

Early and late components of AMPA-receptor mediated field potentials in hippocampal slices
A. Kolta, J. Ambros-Ingerson and G. Lynch (USA) 133

Preferential occupation of mineralocorticoid receptors by corticosterone enhances glutamate-induced burst firing in rat midbrain dopaminergic neurons
P.G. Overton, Z.-Y. Tong, P.F. Brain and D. Clark (UK) 146

Impaired G-protein-stimulated adenylyl cyclase activity in Alzheimer's disease brain is not accompanied by reduced cyclic-AMP-dependent protein kinase A activity
W.L. Bonkale, J. Fastbom, B. Wiehager, R. Ravid, B. Winblad and R.F. Cowburn (Sweden, Netherlands) 155

Neuropeptide Y inhibits hippocampal seizures and wet dog shakes
D.P.D. Woldbye, T.M. Madsen, P.J. Larsen, J.D. Mikkelsen and T.G. Bolwig (Denmark) 162

Polysynaptic potentiation in the lateral septum following stimulation of the fimbria in anesthetized rats
R. Garcia, G. Tocco, M. Baudry and R. Thompson (France, USA) 169

κ-Opioid receptor expression defines a phenotypically distinct subpopulation of astroglia: relationship to Ca^{2+} mobilization, development, and the antiproliferative effect of opioids
J.A. Gurwell, M.J. Duncan, K. Maderspach, A. Stiene-Martin, R.P. Elde and K.F. Hauser (USA, Hungary) 175

(contents continued on p. 359)

0006-8993(19961021)737:1/2;1-Q

BRAIN RESEARCH

VOL. 737 NOS. 1,2 **CONTENTS** **21 OCTOBER 1996**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for submission of manuscripts vii

Research reports

Identification and localization of a [Met^5]-enkephalin-like peptide in the mollusc, *Lymnaea stagnalis*
N.M. Ewadinger, R.L. Ridgway, N.I. Syed, K. Lukowiak and A.G.M. Bulloch (Canada, USA) 1

Inhibitory effects of electrical stimulation of thalamic nucleus submedius on the nociceptive responses of spinal dorsal horn neurons in the rat
Y.-Q. Zhang, J.-S. Tang and B. Yuan (People's Republic of China) 16

Cortical sources of human short-latency somatosensory evoked fields to median and ulnar nerve stimuli
S. Vanni, B. Rockstroh and R. Hari (Finland) 25

Ethanol exposure reduces the density of the low-affinity nerve growth factor receptor (p75) on pheochromocytoma (PC12) cells
J. Luo, J.R. West and N.J. Pantazis (USA) 34

DL-Fenfluramine increases the 5-HT synthesis rate in the terminals while decreasing it in the cell bodies of the rat brain
D. Mück-Šeler and M. Diksic (Canada) 45

Modulation of vomiting by the medullary midline
A.D. Miller, S. Nonaka, J. Jakuš and B.J. Yates (USA, Japan, Slovak Republic) 51

The role of excitatory neurotransmitters in seizure-induced neuronal injury in rats
K. Tanaka, S.H. Graham and R.P. Simon (USA) 59

Microsphere embolism-induced changes in presynaptic function of the cerebral cortex in rats
H. Hayashi, N. Takagi, N. Kamimoto and S. Takeo (Japan) 64

Noradrenergic facilitation of the adrenocorticotropin response to stress is absent during lactation in the rat
D.J. Toufexis and C.-D. Walker (Canada) 71

Effects of natriuretic peptides and dopamine on single-unit activity of dorsomedial arcuate neurons in rat brain slices
J.-T. Pan, C.-J. Lai and S.-H. Yen (Taiwan ROC) 78

Participation of central descending nociceptive facilitatory systems in secondary hyperalgesia produced by mustard oil
M.O. Urban, M.C. Jiang and G.F. Gebhart (USA) 83

Amplification of spinal nociceptive transmission depends on the generation of nitric oxide in normal and carrageenan rats
L.C. Stanfa, C. Misra and A.H. Dickenson (UK) 92

Circadian regulation of hydroxyindole-*O*-methyltransferase mRNA levels in rat pineal and retina
F. Gauer and C.M. Craft (USA) 99

The influence of the visual cortex on the spatiotemporal response properties of lateral geniculate nucleus cells
R.T. Marrocco, J.W. McClurkin and M.T. Alkire (USA) 110

Immunocytochemistry of tau phosphoserine 413 and tau protein kinase I in Alzheimer pathology
R.A. Shiurba, K. Ishiguro, M. Takahashi, K. Sato, E.T. Spooner, M. Mercken, R. Yoshida, T.R. Wheelock, H. Yanagawa, K. Imahori and R.A. Nixon (USA, Japan) 119

Early and late components of AMPA-receptor mediated field potentials in hippocampal slices
A. Kolta, J. Ambros-Ingerson and G. Lynch (USA) 133

Preferential occupation of mineralocorticoid receptors by corticosterone enhances glutamate-induced burst firing in rat midbrain dopaminergic neurons
P.G. Overton, Z.-Y. Tong, P.F. Brain and D. Clark (UK) 146

Impaired G-protein-stimulated adenylyl cyclase activity in Alzheimer's disease brain is not accompanied by reduced cyclic-AMP-dependent protein kinase A activity
W.L. Bonkale, J. Fastbom, B. Wiehager, R. Ravid, B. Winblad and R.F. Cowburn (Sweden, Netherlands) 155

Neuropeptide Y inhibits hippocampal seizures and wet dog shakes
D.P.D. Woldbye, T.M. Madsen, P.J. Larsen, J.D. Mikkelsen and T.G. Bolwig (Denmark) 162

Polysynaptic potentiation in the lateral septum following stimulation of the fimbria in anesthetized rats
R. Garcia, G. Tocco, M. Baudry and R. Thompson (France, USA) 169

κ-Opioid receptor expression defines a phenotypically distinct subpopulation of astroglia: relationship to Ca^{2+} mobilization, development, and the antiproliferative effect of opioids
J.A. Gurwell, M.J. Duncan, K. Maderspach, A. Stiene-Martin, R.P. Elde and K.F. Hauser (USA, Hungary) 175

(contents continued on p. 359)

0006-8993(19961021)737:1/2;1-Q

(contents continued)

Brain-derived peptides inhibit synaptic transmission via presynaptic $GABA_B$ receptors in CA1 area of rat hippocampal slices
H. Xiong, A. Baskys and J.M. Wojtowicz (Canada) 188
Glycoxidation and oxidative stress in Parkinson disease and diffuse Lewy body disease
R. Castellani, M.A. Smith, P.L. Richey and G. Perry (USA) 195
Basic fibroblast growth factor (bFGF) injection activates the glial reaction in the injured adult rat brain
F. Eclancher, P. Kehrli, G. Labourdette and M. Sensenbrenner (France) 201
Neuroendocrine and neurochemical effects of acute ibogaine administration: a time course evaluation
S.F. Ali, G.D. Newport, W. Slikker Jr, R.B. Rothman and M.H. Baumann (USA) 215
Microdialysis monitoring of variations in extracellular levels of serotonin, GABA and excitatory amino acids in the frontal cortex of awake rats in response to a single peripheral or central administration of dexfenfluramine
C. Rocher, L. Bert, F. Robert, J.-H. Trouvin, B. Renaud, C. Jacquot and A.M. Gardier (France) 221
Demonstration of a bilateral projection from the rostral nucleus of the solitary tract to the medial parabrachial nucleus in rat
J.B. Williams, D.M. Murphy, K.E. Reynolds, S.J. Welch and M.S. King (USA) 231
Regional hypothalamic differences in neuropeptide Y-induced feeding and energy substrate utilization
P.J. Currie and D.V. Coscina (USA, Canada) 238
Latent inhibition in conditioned emotional response: c-*fos* immunolabelling evidence for brain areas involved in the rat
F. Sotty, G. Sandner and O. Gosselin (France) 243
Ibogaine neurotoxicity: a re-evaluation
H.H. Molinari, I.M. Maisonneuve and S.D. Glick (USA) 255
Activation of μ-opioid receptors are required for the conditioned enhancement of NK cell activity
C.-M. Hsueh, S.-F. Chen, H.-J. Huang, V.K. Ghanta and R.N. Hiramoto (Taiwan, USA) 263
Neurite-promoting effect of α_2-macroglobulin in rat cerebral cortex is mainly associated with α_2-macroglobulin receptor
M. Ishii, T. Osada, J. Gliemann and A. Ikai (Japan, Denmark) 269
Distribution of GABA and glycine in the lamb nucleus of the solitary tract
R.D. Sweazey (USA) 275

Short communications

Modulation of dopaminergic neurotransmission in the 6-hydroxydopamine lesioned rotational model by peptidomimetic analogues of L-prolyl-L-leucyl-glycinamide
M.C. Ott, R.K. Mishra and R.L. Johnson (Canada, USA) 287
Antinociceptive action of intrathecally administered IGF-I and the expression of its receptor in rat spinal cord
M.S. Bitar, M. Al-Bustan, C.L. Nehme and C.W.T. Pilcher (Kuwait) 292
Conditionally immortalized neural progenitor cell lines integrate and differentiate after grafting to the adult rat striatum. A combined autoradiographic and electron microscopic study
C. Lundberg, P.M. Field, Y.O. Ajayi, G. Raisman and A. Björklund (Sweden, UK) 295
Serotonin agonists mimic the phase shifting effects of light on the melatonin rhythm in rats
D.J. Kennaway, S.A. Rowe and S.A. Ferguson (Australia) 301
Intracellular recordings from burst-firing presumed serotonergic neurones in the rat dorsal raphe nucleus in vivo
M. Hajós, T. Sharp and N.R. Newberry (UK) 308
Spatial working memory is preserved in rats treated with anabolic-androgenic steroids
S.T. Smith, R.W. Stackman and A.S. Clark (USA) 313
Transdermal nicotine on sleep and PGO spikes
J. Vazquez, R. Guzmán-Marín, R.J. Salín-Pascual and R. Drucker-Colín (México) 317
Expression of *hsp*70 mRNA is induced in the brain of transgenic mice overexpressing human CuZn-superoxide dismutase following transient global cerebral ischemia
T. Kondo, K. Murakami, J. Honkaniemi, F.R. Sharp, C.J. Epstein and P.H. Chan (USA) 321
Action of protein kinase A activators on the caudal neuromuscular junction of toad tadpoles, recorded on synaptic spots
M. Quiñonez, P.J. Romero and L. Rojas (Venezuela, Puerto Rico) 327
Effects of serotonin on different patterns of low Mg^{2+}-induced epileptiform activity in the subiculum of rats studied in vitro
J. Behr and U. Heinemann (Germany) 331
Time-course and reversibility of the hypoxia-induced alterations in cerebral vascularity and cerebral capillary glucose transporter density
N. Harik, S.I. Harik, N.-T. Kuo, K. Sakai, R.J. Przybylski and J.C. LaManna (USA) 335
Local changes in oxygen tension and blood flow in the brain under hyperthermia induced by intracerebroventricular NMDA in rats
S. Hara, T. Mukai, F. Kuriiwa, N. Iwata, S. Kano and T. Endo (Japan) 339
Elevation of either axoplasmic norepinephrine or sodium level induced release of norepinephrine from cardiac sympathetic nerve terminals
T. Yamazaki, T. Akiyama, H. Kitagawa, Y. Takauchi and T. Kawada (Japan) 343
Evidence for a functional role of the dopamine D3 receptors in the cerebellum
S. Barik and R. De Beaurepaire (France) 347
Dissociation of SNAP-25 and VAMP-2 by MgATP in permeabilized adrenal chromaffin cells
H. Misonou, T.-i. Nishiki, M. Sekiguchi, M. Takahashi, Y. Kamata, S. Kozaki, M. Ohara-Imaizumi and K. Kumakura (Japan) 351

Author Index 356